

Pre-Exposure Prophylaxis (PrEP) Quarterly Cohort Report

Facility Name	Level of Facility	Facility Code
District		Province/Region
Quarter of Report (<i>ending month</i>):		Year of Report (<i>yyy</i>):

Instructions: Complete each of the tables below for the full PrEP client population and each subpopulation as specified. Client cohorts should be defined based on the month clients first started PrEP (for example, clients starting PrEP between June 1–June 30, 2019 should be assigned to the June 2019 cohort). The client cohorts to include can be identified via the “Months ago started on PrEP” column, as well as the specific year and month of PrEP initiation to be documented in the subsequent column. For example, if the current month is **June 2019**, cohorts 1–5 would be defined and recorded as shown below. Note: 1) Individuals newly testing HIV+ (Column 7) will not receive PrEP at the current visit, so the *# tested for HIV* (Column 6) may exceed the *# received PrEP* (Column 5); and 2) Results in the *# stopped, lost to follow-up*, and *died* columns (Columns 8–12) after the Cohort 1 time point are cumulative and must incorporate any results from previous time points for the cohort. Illustrative data are shown in the tables below to demonstrate how data are to be recorded and indicators calculated.

EXAMPLE: ALL PrEP CLIENTS

Cohort	Baseline			Follow-Up										
	Original Cohort			# transfers in	# transfers out	# net current cohort (Col. 1+2-3)	At Current Follow-Up Visit			Cumulative for Cohort				
	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	# started PrEP at this clinic				# received PrEP	# tested for HIV	# newly tested HIV+	# stopped: HIV+ test	# stopped: no longer at substantial risk	# stopped: other reason	# lost to follow-up	# died
			Col: 1	2	3	4	5	6	7	8	9	10	11	12
1	1 mo.	2019/05	47	0	0	47	45	45	0	0	0	0	2	0
2	3 mos.	2019/03	28	0	1	27	22	23	1	2	2	0	1	0
3	6 mos.	2018/12	21	1	0	22	17	17	0	1	2	0	2	0
4	9 mos.	2018/09	8	0	1	7	4	5	1	1	1	0	1	0
5	12 mos.	2018/06	10	0	0	10	4	4	0	1	1	0	4	0

EXAMPLE: Summary of ALL Cohort Outcomes

Cohort	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	Percent of cohort alive and on PrEP [Col. 5/Col. 4] * 100	Percent receiving HIV test [Col. 6/(Col. 5 + Col. 7)] * 100	Percent testing HIV+ this visit [Col. 7/(Col. 5 + Col. 7)] * 100	Percent stopped: HIV+ [Col. 8/Col. 4] * 100	Percent no longer at substantial risk [Col. 9/Col. 4] * 100	Percent lost to follow-up [Col. 11/Col. 4] * 100
1	1 mo.	2019/05	96%	100%	0	0	0	4%
2	3 mos.	2019/03	85%	100%	4%	7%	7%	4%
3	6 mos.	2018/12	77%	100%	0	5%	9%	9%
4	9 mos.	2018/09	71%	100%	20%	14%	14%	14%
5	12 mos.	2018/06	40%	100%	0	10%	10%	40%

Quarter of Report (*ending month/year*): _____/_____

ALL PrEP CLIENTS (Including Key Populations Clients and All Other Clients)

Cohort	Baseline						Follow-Up							
	Original Cohort			# transfers in	# transfers out	# net current cohort (Col. 1+2-3)	At Current Follow-Up Visit			Cumulative for Cohort				
	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	# started PrEP at this clinic				# received PrEP	# tested for HIV	# newly tested HIV+	# stopped: HIV+ test	# stopped: no longer at substantial risk	# stopped: other reason	# lost to follow-up	# died
			Col: 1	2	3	4	5	6	7	8	9	10	11	12
1	1 mo.													
2	3 mos.													
3	6 mos.													
4	9 mos.													
5	12 mos.													

Summary of ALL Cohort Outcomes

Cohort	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	Percent of cohort alive and on PrEP [Col. 5/Col. 4] * 100	Percent receiving HIV test [Col. 6/(Col. 5 + Col. 7)] * 100	Percent testing HIV+ this visit [Col. 7/(Col. 5 + Col. 7)] * 100	Percent stopped: HIV+ [Col. 8/Col. 4] * 100	Percent no longer at substantial risk [Col. 9/Col. 4] * 100	Percent lost to follow-up [Col. 11/Col. 4] * 100
1	1 mo.							
2	3 mos.							
3	6 mos.							
4	9 mos.							
5	12 mos.							

Quarter of Report (ending month/year): _____ / _____

Key Populations Clients

1. Men Who Have Sex with Men (MSM)

Cohort	Baseline						Follow-Up							
	Original Cohort			# transfers in	# transfers out	# net current cohort (Col. 1+2-3)	At Current Follow-Up Visit			Cumulative for Cohort				
	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	# started PrEP at this clinic				# received PrEP	# tested for HIV	# newly tested HIV+	# stopped: HIV+ test	# stopped: no longer at substantial risk	# stopped: other reason	# lost to follow-up	# died
			Col: 1	2	3	4	5	6	7	8	9	10	11	12
1	1 mo.													
2	3 mos.													
3	6 mos.													
4	9 mos.													
5	12 mos.													

Summary of MSM Cohort Outcomes

Cohort	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	Percent of cohort alive and on PrEP [Col. 5/Col. 4] * 100	Percent receiving HIV test [Col. 6/(Col. 5 + Col. 7)] * 100	Percent testing HIV+ this visit [Col. 7/(Col. 5 + Col. 7)] * 100	Percent stopped: HIV+ [Col. 8/Col. 4] * 100	Percent no longer at substantial risk [Col. 9/Col. 4] * 100	Percent lost to follow-up [Col. 11/Col. 4] * 100
1	1 mo.							
2	3 mos.							
3	6 mos.							
4	9 mos.							
5	12 mos.							

Quarter of Report (ending month/year): _____/_____

2. Transgender Persons (TG)

Cohort	Baseline			Follow-Up										
	Original Cohort			# transfers in	# transfers out	# net current cohort (Col. 1+2-3)	At Current Follow-Up Visit			Cumulative for Cohort				
	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	# started PrEP at this clinic				# received PrEP	# tested for HIV	# newly tested HIV+	# stopped: HIV+ test	# stopped: no longer at substantial risk	# stopped: other reason	# lost to follow-up	# died
			Col: 1	2	3	4	5	6	7	8	9	10	11	12
1	1 mo.													
2	3 mos.													
3	6 mos.													
4	9 mos.													
5	12 mos.													

Summary of TG Cohort Outcomes

Cohort	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	Percent of cohort alive and on PrEP [Col. 5/Col. 4] * 100	Percent receiving HIV test [Col. 6/(Col. 5 + Col. 7)] * 100	Percent testing HIV+ this visit [Col. 7/(Col. 5 + Col. 7)] * 100	Percent stopped: HIV+ [Col. 8/Col. 4] * 100	Percent no longer at substantial risk [Col. 9/Col. 4] * 100	Percent lost to follow-up [Col. 11/Col. 4] * 100
1	1 mo.							
2	3 mos.							
3	6 mos.							
4	9 mos.							
5	12 mos.							

Quarter of Report (ending month/year): _____/_____

3. Sex Workers (SW)

Cohort	Baseline			Follow-Up										
	Original Cohort			# transfers in	# transfers out	# net current cohort (Col. 1+2-3)	At Current Follow-Up Visit			Cumulative for Cohort				
	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	# started PrEP at this clinic				# received PrEP	# tested for HIV	# newly tested HIV+	# stopped: HIV+ test	# stopped: no longer at substantial risk	# stopped: other reason	# lost to follow-up	# died
			Col: 1	2	3	4	5	6	7	8	9	10	11	12
1	1 mo.													
2	3 mos.													
3	6 mos.													
4	9 mos.													
5	12 mos.													

Summary of SW Cohort Outcomes

Cohort	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	Percent of cohort alive and on PrEP [Col. 5/Col. 4] * 100	Percent receiving HIV test [Col. 6/(Col. 5 + Col. 7)] * 100	Percent testing HIV+ this visit [Col. 7/(Col. 5 + Col. 7)] * 100	Percent stopped: HIV+ [Col. 8/Col. 4] * 100	Percent no longer at substantial risk [Col. 9/Col. 4] * 100	Percent lost to follow-up [Col. 11/Col. 4] * 100
1	1 mo.							
2	3 mos.							
3	6 mos.							
4	9 mos.							
5	12 mos.							

Quarter of Report (ending month/year): _____/_____

4. Persons Who Inject Drugs (PWID)

Cohort	Baseline						Follow-Up							
	Original Cohort			# transfers in	# transfers out	# net current cohort (Col. 1+2-3)	At Current Follow-Up Visit			Cumulative for Cohort				
	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	# started PrEP at this clinic				# received PrEP	# tested for HIV	# newly tested HIV+	# stopped: HIV+ test	# stopped: no longer at substantial risk	# stopped: other reason	# lost to follow-up	# died
			Col: 1	2	3	4	5	6	7	8	9	10	11	12
1	1 mo.													
2	3 mos.													
3	6 mos.													
4	9 mos.													
5	12 mos.													

Summary of PWID Cohort Outcomes

Cohort	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	Percent of cohort alive and on PrEP [Col. 5/Col. 4] * 100	Percent receiving HIV test [Col. 6/(Col. 5 + Col. 7)] * 100	Percent testing HIV+ this visit [Col. 7/(Col. 5 + Col. 7)] * 100	Percent stopped: HIV+ [Col. 8/Col. 4] * 100	Percent no longer at substantial risk [Col. 9/Col. 4] * 100	Percent lost to follow-up [Col. 11/Col. 4] * 100
1	1 mo.							
2	3 mos.							
3	6 mos.							
4	9 mos.							
5	12 mos.							

Quarter of Report (ending month/year): _____/_____

5. Persons in Prison (PP)

Cohort	Baseline						Follow-Up							
	Original Cohort			# transfers in	# transfers out	# net current cohort (Col. 1+2-3)	At Current Follow-Up Visit			Cumulative for Cohort				
	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	# started PrEP at this clinic				# received PrEP	# tested for HIV	# newly tested HIV+	# stopped: HIV+ test	# stopped: no longer at substantial risk	# stopped: other reason	# lost to follow-up	# died
			Col: 1	2	3	4	5	6	7	8	9	10	11	12
1	1 mo.													
2	3 mos.													
3	6 mos.													
4	9 mos.													
5	12 mos.													

Summary of PP Cohort Outcomes

Cohort	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	Percent of cohort alive and on PrEP [Col. 5/Col. 4] * 100	Percent receiving HIV test [Col. 6/(Col. 5 + Col. 7)] * 100	Percent testing HIV+ this visit [Col. 7/(Col. 5 + Col. 7)] * 100	Percent stopped: HIV+ [Col. 8/Col. 4] * 100	Percent no longer at substantial risk [Col. 9/Col. 4] * 100	Percent lost to follow-up [Col. 11/Col. 4] * 100
1	1 mo.							
2	3 mos.							
3	6 mos.							
4	9 mos.							
5	12 mos.							

Quarter of Report (ending month/year): _____/_____

6. ALL PrEP Key Populations Clients (MSM+TG+SW+PWID+PP)

Cohort	Baseline			Follow-Up										
	Original Cohort			# transfers in	# transfers out	# net current cohort (Col. 1+2-3)	At Current Follow-Up Visit			Cumulative for Cohort				
	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	# started PrEP at this clinic				# received PrEP	# tested for HIV	# newly tested HIV+	# stopped: HIV+ test	# stopped: no longer at substantial risk	# stopped: other reason	# lost to follow-up	# died
			Col: 1	2	3	4	5	6	7	8	9	10	11	12
1	1 mo.													
2	3 mos.													
3	6 mos.													
4	9 mos.													
5	12 mos.													

Summary of ALL Key Populations Client Cohort Outcomes

Cohort	Months ago started on PrEP	Calendar year/month started PrEP (yyyy/mm)	Percent of cohort alive and on PrEP [Col. 5/Col. 4] * 100	Percent receiving HIV test [Col. 6/(Col. 5 + Col. 7)] * 100	Percent testing HIV+ this visit [Col. 7/(Col. 5 + Col. 7)] * 100	Percent stopped: HIV+ [Col. 8/Col. 4] * 100	Percent no longer at substantial risk [Col. 9/Col. 4] * 100	Percent lost to follow-up [Col. 11/Col. 4] * 100
1	1 mo.							
2	3 mos.							
3	6 mos.							
4	9 mos.							
5	12 mos.							

Quarter of Report (ending month/year): _____/_____

Form completed by:	Title:	Date (dd/mm/yyyy):
Form verified by:	Title:	Date (dd/mm/yyyy):